

TILT TABLE TEST FOR AUTONOMIC NERVOUS SYSTEM (ANS)

** IMPORTANT: Please note instructions below, some of which begin as much as two weeks in advance. Failure to follow these instructions may result in cancellation of the test and a cancellation fee.

PATIENT INSTRUCTIONS

Medications to avoid before testing

Please provide our office with a complete medication list with dosages to be reviewed by Dr. Hussain immediately upon making your appointment for the test. Some medications may have to be stopped up to two weeks before the test.

Additional medications to avoid before testing

The list of medications below should be discontinued 24 hours before the test if permitted by the prescribing physician:

- Common cold remedies
- Drugs for depression
- Drugs for hypertension
- Parkinson's disease
- Drugs for pain
- Midodrine and Fludrocortisone

Other special preparations

- Avoid stressful circumstances. Your test will be more successful if you are rested and relaxed.
- Avoid vigorous exercise for 24 hours before the test.
- Avoid alcohol, caffeine or nicotine for 12 hours before the tests.
- If your test is scheduled in the morning, do not eat food for 12 hours before the tests.
- If your test is scheduled in the afternoon, eat a light breakfast four to six hours before the tests.
- Shower as close to your appointment time as possible to remove all natural oils from your body.
- Do not use any lotions, oils or powders on the day of the test.
- Wear soft, non-restrictive clothing. Avoid clothing that may restrict blood flow, including stockings and corsets. Remove elastic stockings.

Please read the next page for more information about the autonomic nervous system, the purpose of the test, and the test itself.



The autonomic nervous system

The autonomic nervous system is that part of the nervous system that controls blood pressure and pulse rate, blood flow to different part of the body, sweating, bowel and bladder function, and sexual function.

The tilt table test

ANS testing consists of four individual tests. Each measures an aspect of the ANS. All of the tests are usually done in one session lasting less than 90 minutes. They are noninvasive and safe.

1. Sweat Test:

Small plastic capsules are attached to the arms and legs. A machine is used to stimulate the sweat glands and measures sweat production. You may feel a slight local burning or tingling during this test.

2. Heart Rate during Deep Breathing (HRDB) Test:

This test measures your heart rate variation during deep breathing. You will be asked to breathe deeply and steadily at a rate of 6 breaths per minute guided by a moving green light.

3. Valsalva Test:

During this test you blow into a plastic tube for 15 seconds hard enough to produce a pressure of 40mm/Hg as indicated in a hanging watch that you will be asked to observe. This test measures your blood pressure and heart rate response to Valsalva maneuver. The Valsalva maneuver is performed by attempting to forcibly exhale while keeping the mouth and nose closed, usually done by closing one's mouth, pinching one's nose shut while pressing out as if blowing up a balloon.

4. The Tilt Table Test:

After lying on a table for the first part of the test, you will be raised to a nearly upright position. You will be secured to the table so you cannot fall. The test will measure your blood pressure and pulse while in different positions.

Purpose of the test

These tests will determine whether your autonomic nervous system is working normally. The results may help to make a diagnosis and to show how you will respond to certain treatments. The type of treatment will depend on the diagnosis, and your signs and symptoms.